


Configuration and Quotation Table

(配置及报价)

Bus Model (客车型号) :	SYC6120D/K12D	Offer Date (报价日期) :	
FOB port(FOB口岸):		Delivery Date (交付周期) :	
(Power Attribute / Vehicle Type) 动力属性/车辆类型:	Fuel version / City Bus 燃油版/城市客车	Left/right Rudder (左/右舵) :	Left 左
EXW (CNY) (FOB 报价) :		Offer Validity 报价有效期:	30 天 30D

Vehicle image display 车辆图片展示



Vehicle Configuration Specification (车辆配置规范)

1. Basic parameters 基本参数			
Structure size (mm) 外廓尺寸	12000×2550×3250,3150		
Engine layout and driving form 发动机布置及驱动形式	Rear rear drive 后置后驱		
Standard Seat capacity (人) 座位数	9/23-44		
Wheelbase (mm) 轴距	6000		
Front / rear wheel distance (mm) 前/后轮距	2060/1860		
Front / rear suspension (mm) 前/后悬	2680/3320		
Approach / departure angle (°) 接近/离去角	7/7		
Climbing ability(%)爬坡度			
Preparation quality (kg) 整备质量	12200		
Max G.V.W(kg)额定最大总质量	18000		
Max speed(km/h)最高车速	69		
Body structure(fullyloaded/non loaded)& step(Level 1/Level 2)车身结构(全承载/非承载)&踏步(一级/二级)	non loaded)& 非承载&		
fuel tank capacity (m ³) 油箱容积	200		
2. Vehicle configuration details 车辆底盘配置			
Seq.	Item (项目)	Standard (标准配置)	Optional (可选配置)
1	Emission standard 排放标准		
2	Brand & Model of engine 发动机品牌&型号	YC 玉柴	
3	Rated-peak power 额定&峰值功率	-	
4	Maximum torque 最大扭矩		
5	Brand & Model of Gearbox 变速箱品牌&型号	Qijiang &5-speed manual 綦江&5 档手动	
6	Clutch 离合器	Single piece, dry type, diaphragm spring 单片, 干式, 膜片弹簧	
7	Front / rear axle brand & load 前/后桥&载荷	6.5/11.5T	
8	Maintenance-free hub & lubrication 免维护轮毂&润滑	General grease lubrication 普通脂润滑	
9	Suspension 悬架	Less leaf spring, cylindrical shock absorber 少片簧、筒式减震器	
10	Braking system 制动系统	Front disc and rear hub, dual circuit pneumatic service brake, energy storage spring parking brake, ABS	

		前盘后毂,双回路气压行车制动,储能弹簧驻车制动,ABS	
11	Steering system 转向系统	recirculating ball 循环球式	
12	Tires 轮胎	275/70R22.5 Tubeless radial tire 275/70R22.5 无内胎子午线轮胎	
13	Rim 轮圈	Steel 钢质	
3. Security protection configuration 安全防护配置			
1	EBS/ABS electronic stabilization system EBS/ABS 电子稳定系统	ABS	
2	Pre-collision warning 前碰撞预警	-	
3	Lane departure early warning system 车道偏离预警系统	-	
4	Tire pressure monitoring and alarm device 胎压监测报警装置	-	
5	Emergency safety device for front tire burst 前轮爆胎应急安全装置	-	
6	Driver fatigue early warning (behavior monitoring system) 驾驶员疲劳预警(行为监控系统)	-	
4. Electrical devices and air conditioners 电器件及空调配置			
1	Accumulator battery 蓄电池		
2	Air conditioning Brand & Refrigeration capacity 空调品牌&制冷量	Non independent cold air conditioning &32000kcal/h 非独立式冷空调&32000kcal/h	
3	Warm air in the car & layout position 车内暖风&布置位置	-	
4	Defroster 除霜	Yes 有	
5	Digital clock 电子钟	Yes 有	
6	Digital clock electronic clock 后视系统	Yes 有	
7	Reversing Image & Radar 倒车影像&雷达	No 无	
8	Audio-visual system 视听系统	MP4 transceiver MP4 收发机	
9	Interior lighting	LED light	

	车内照明	LED 灯	
10	USB layout USB 布置	No 无	
11	On-board WIFI 车载 WIFI	No 无	
13	Wiper 雨刷器	No 无	
14	Driving recorder 行驶记录仪	No 无	
15	Monitoring system 录像监控系统	-	
5.Body assembly 车身组件配置			
1	Body material 车身材料	All galvanized steel 全镀锌钢材	
2	Front door/ Middle door 前门/中门	Electrically controlled pneumatic inner swing door 电控气动内摆门	
3	Step 踏步	Second level 二级	
4	Rearview 倒车镜	Eagle style manual reversing mirror 鹰式手动倒车镜	
5	Passenger seats 乘客座椅	Plastic steel chair 塑钢椅	
6	Driver's seat 驾驶员座椅	Adjustable airbag 可调节气囊	
7	Safety protection of driving area 驾驶区安全防护		
8	Air duct material & panoramic 风道材质 & 全景	Foam duct 发泡风道	
9	Handrail inside the car & lifting ring handle 车内扶手 & 吊环拉手	Yellow embossed steel pipe spray handrail+side handrail+lifting ring 黄色压花钢管喷塑扶手+边扶手+吊环	
10	Roof window 车顶风窗	Yes 有	
11	Windshield 风挡	-	
12	Side window 侧窗	There are regular sliding windows, white glass 普通推拉窗, 白玻	
14	Floor 地板	Bamboo woven floor covering leather 竹编地板铺革	
15	The pedal on the car for the disabled & the opening mode 残疾人上车踏板 & 开启方式	-	
16	Fire extinguisher 机舱灭火装置	-	
17	Sun visor	-	

	遮阳帘		
18	Curtain 窗帘		
6. Other configuration 其它配置			
1	Paint 漆种	Domestic plain paint 国产素色漆	
2	Electrophoretic antiseptic 电泳防腐		
3	Line & connector 线路&接插件	Tinned Flame retardant Copper Wire & Waterproof Connector 镀锡阻燃铜线&防水接插件	
4	Interior material standard 内饰材料标准	Flame retardant and environment friendly materials 阻燃环保型材料	
7. Vehicle Quality Assurance Policy 车辆质保政策			
1	Overseas warranty 海外质保		
2	Domestic warranty 国内质保		
8. After Sales Service Policy 售后服务政策			
1	Station building service at vehicle operation site 车辆运营地建站服务		
2	The manufacturer provides accessories and the customer repairs them themselves 生产工厂提供配件，客户自行维修		
9. Payment terms 付款条件			
1	Payment Method (付款方式)	TT Payment (TT 电汇)	
2	Advance payment (预付款)	30% down payment would be paid by T/T (30%的首付款将通过电汇方式支付)	
3	Balance payment method (余款支付方式)	the balance would be paid by T/T before delivery (余款在发货前通过 T/T 付清)	
Special notification 特别告知:			
<p>1、Above offer is based on our standard execution. Attached bus picture is for reference only, and the technical data may be changed without prior notice.</p>			

以上报价依据我方执行标准，所附图片仅供参考，技术参数可能被改变，恕不另行通知。

2、 This quotation does not include product certification fees. The final configuration and price will be subject to the contract signed by both parties. Our company reserves the right to final explanation.

本报价不含产品认证费用，最终的配置和价格将依据客我双方签订的合约为准，本公司保留最终解释权。