


Configuration and Quotation Table

(配置及报价)

Bus Model (客车型号) :	SYC6660BEV/K6E	Offer Date(报价日期) :	
FOB port(FOB口岸):		Delivery Date (交付周期) :	
(Power Attribute / Vehicle Type) 动力属性/车辆类型:	Pure electric version / City Bus 纯电版/城市客车	Left/right Rudder (左/右舵) :	Left 左
EXW (CNY) (FOB 报价) :		Offer Validity 报价有效期:	30 天 30D

Vehicle image display 车辆图片展示



Vehicle Configuration Specification (车辆配置规范)

1. Basic parameters 基本参数	
Structure size (mm) 外廓尺寸	6645×2250x2870,3020
Motor arrangement and driving form 电机布置及驱动形式	Rear mounted rear wheel drive 后置后驱
Standard Seat capacity (座) 座位数	16
Wheelbase (mm) 轴距	3450
Front / rear wheel distance (mm) 前/后轮距	1835,1865,1895/1675,1705,1730
Front / rear suspension (mm) 前/后悬	1705/1490
Approach / departure angle (°) 接近/离去角	10/12
Climbing ability(%)爬坡度	15
Preparation quality (kg) 整备质量	
Max G.V.W(kg)额定最大总质量	
Max speed(km/h)最高车速	69
Body structure & step 车身结构&踏步	Full load bearing&Secondary step 全承载&二级踏步
Mileage (constant velocity method) 续航里程 (等速法)	340km

2. Vehicle configuration details 车辆底盘配置

Seq.	Item (项目)	Standard (标准配置)	Optional (可选配置)
1	Power Battery Brand & maximum capacity 动力电池品牌&最大容量	Lithium iron phosphate&100.27kWh 磷酸铁锂&100.27kWh	
2	Brand & Model of Motor and Electronic Control 电机、电控品牌&型号	Permanent magnet synchronous motor&TZ368XS041 永磁同步电机&TZ368XS041	
3	Rated-peak power 额定&峰值功率	60kw&100kw	
4	Maximum torque 最大扭矩	1000N.m	
5	Brand & Model of vehicle Controller 整车控制器品牌&型号	Permanent magnet synchronous motor&TZ368XS041 永磁同步电机&TZ368XS041	
6	Power battery temperature control system 动力电池温控系统	-	
7	Fire extinguishing device in battery box 电池箱内灭火装置	No 无	
8	Front / rear axle brand & load	3.5/6T	

	前/后桥品牌&载荷		
9	Maintenance-free hub & lubrication 免维护轮毂&润滑	-	
10	Suspension 悬架	Short leaf spring, front 3 and rear 4 少片簧, 前3后4	
11	Braking system 制动系统	Equipped with energy storage spring brake, electric transmission assisted brake, ABS anti lock, dual circuit air brake 带储能弹簧制动、电传动辅助制动、ABS防抱, 双回路气制动	
12	Steering system 转向系统	Integrated hydraulic power steering gear 整体式液压动力转向器	
13	Tires 轮胎	215/75R17.5-16	
14	Rim 轮圈	Steel quality 钢质	
3. Security protection configuration 安全防护配置			
1	EBS/ABS electronic stabilization system EBS/ABS 电子稳定系统	ABS	
2	Pre-collision warning 前碰撞预警		
3	Lane departure early warning system 车道偏离预警系统	No 无	
4	Tire pressure monitoring and alarm device 胎压监测报警装置	No 无	
5	Emergency safety device for front tire burst 前轮爆胎应急安全装置		
6	Driver fatigue early warning (behavior monitoring system) 驾驶员疲劳预警(行为监控系统)		
4. Electrical devices and air conditioners 电器件及空调配置			
1	Accumulator battery 蓄电池	60Ah*2	
2	Air conditioning Brand & Refrigeration capacity 空调品牌&制冷量	14000 kcal 14000 大卡	
3	Warm air in the car & layout position 车内暖风&布置位置	No 无	
4	Defroster	Yes 有	

	除霜		
5	Digital clock 电子钟	No 无	
6	Digital clock electronic clock 后视镜系统	Yes 有	
7	Reversing Image & Radar 倒车影像&雷达	Voice, 85dB (A) 语音、85dB (A)	
8	Audio-visual system 视听系统	No 无	
9	Interior lighting 车内照明	LED light LED 灯	
10	USB layout USB 布置	No 无	
11	On-board WIFI. 车载 WIFI	No 无	
12	Speed limit. 限速	Yes 有	
13	Wiper 雨刷器	Yes 有	
14	Driving recorder 行驶记录仪	Identification card/GPS data positioning/with printer/USB/CAN 识别卡/GPS 数据定位/带打印机/USB/CAN	
15	Monitoring system 录像监控系统	M004 主机+4 路本地录像摄像头+监控屏（中门倒 车监控），不带 4G 传输	

5.Body assembly 车身组件配置

1	Body material. 车身材料	All galvanized steel 全镀锌钢材	
2	Front door/ Middle door 前门/中门	Pneumatic inner swing door 气动内摆门	
3	Step. 踏步	Second level 二级	
4	Rearview 倒车镜	Short left and long right pole style 左短右长杆式	
5	Passenger seats 乘客座椅	Injection molded smooth surface 注塑光面	
6	Driver's seat 驾驶员座椅	Adjustable airbag 可调节气囊	
7	Safety protection of driving area 驾驶区安全防护	Imitation leather, mechanical hydraulic 仿皮, 机械液压	
8	Air duct material & panoramic 风道材质&全景	GFP air duct GFP 风道	
9	Handrail inside the car & lifting ring handle 车内扶手&吊环拉手	Spray coated steel pipe (light pipe)&ordinary lifting rings, 8 pieces 喷塑钢管（光管）&普通吊环, 8 个	
10	Interior air purifier 车内空气净化器	No 无	

11	Roof window. 车顶风窗	Yes 有	
12	Windshield. 风挡		
14	Side window 侧窗	Tempered glass, embedded with push-pull function 钢化玻璃, 内嵌推拉	
15	Floor 地板	Polyvinyl chloride (PVC) composite board 聚氯乙烯 (PVC) 复合板	
16	The pedal on the car for the disabled & the opening mode 残疾人上车踏板 & 开启方式	No 无	
17	Fire extinguisher 机舱灭火装置	Slow release cylindrical fire extinguisher, 0.3kg x 3+0.15kg x 4 缓释柱状灭火器、0.3kg×3+0.15kg×4	
18	Sun visor 遮阳帘	Front sunshade, rocker arm sunshade, driver's sunshade, roller blind sunshade 前挡遮阳帘摇臂遮阳帘, 司机遮阳帘卷帘式遮阳帘	
19	Curtain 窗帘	No 无	
6. Other configuration 其它配置			
1	Paint 漆种	Polyurethane ordinary paint 聚氨酯普通油漆	
2	Electrophoretic antiseptic 电泳防腐	Yes 有	
3	Line & connector 线路&接插件	Tinned Flame retardant Copper Wire & Waterproof Connector 镀锡阻燃铜线&防水接插件	
4	Interior material standard 内饰材料标准	Flame retardant and environment friendly materials 阻燃环保型材料	
7. Vehicle Quality Assurance Policy 车辆质保政策			
1	Overseas warranty 海外质保		
2	Domestic warranty 国内质保		
8. After Sales Service Policy 售后服务政策			
1	Station building service at vehicle operation site 车辆运营地建站服务		
2	The manufacturer provides accessories and the customer repairs them themselves 生产工厂提供配件, 客户自行维		

	修	
--	---	--

9. Payment terms 付款条件

1	Payment Method (付款方式)	TT Payment (TT 电汇)
2	Advance payment (预付款)	30% down payment would be paid by T/T (30%的首付款将通过电汇方式支付)
3	Balance payment method (余款支付方式)	the balance would be paid by T/T before delivery (余款在发货前通过 T/T 付清)

Special notification 特别告知:

1、Above offer is based on our standard execution. Attached bus picture is for reference only, and the technical data may be changed without prior notice.

以上报价依据我方执行标准，所附图片仅供参考，技术参数可能被改变，恕不另行通知。

2、This quotation does not include product certification fees. The final configuration and price will be subject to the contract signed by both parties. Our company reserves the right to final explanation.

本报价不含产品认证费用，最终的配置和价格将依据客我双方签订的合约为准，本公司保留最终解释权。