


# Configuration and Quotation Table (配置及报价)

Bus Model (客车型号) :	SYC6120BEV/K12E	Offer Date(报价日期) :	
FOB port(FOB口岸):		Delivery Date (交付周期) :	
(Power Attribute / Vehicle Type) 动力属性/车辆类型:	Pure electric version / City Bus 纯电版/城市客车	Left/right Rudder (左/右舵) :	
EXW (CNY) :		Offer Validity 报价有效期:	30 天

## Vehicle image display 车辆图片展示



## Vehicle Configuration Specification (车辆配置规范)

1. Basic parameters 基本参数	
Structure size (mm) 外廓尺寸	11980×2540×3280
Motor arrangement and driving form 电机布置及驱动形式	后置后驱
Standard Seat capacity (座) 座位数	中门前 1+1, 中门后 2+2 布置, 31+1 1+1 in front of the center door, 2+2 behind the center door, 31+1
Wheelbase (mm) 轴距	5900
Front / rear wheel distance (mm) 前/后轮距	2101,2126/1860,1880
Front / rear suspension (mm) 前/后悬	2680/3400
Approach / departure angle (°) 接近/离去角	7/7
Climbing ability(%)爬坡度	15%
Preparation quality (kg) 整备质量	12500,12100,11700
Max G.V.W(kg)额定最大总质量	18000
Max speed(km/h)最高车速	69
Body structure & step 车身结构&踏步	<b>Full load bearing body</b> 全承载式车身&一级踏步
Mileage (constant velocity method) 续航里程 (等速法)	450km

## 2. Vehicle configuration details 车辆底盘配置

Seq.	Item (项目)	Standard (标准配置)	Optional (可选配置)
1	Power Battery Brand & maximum capacity 动力电池品牌&最大容量	CATL&350KWH 宁德时代&350KWH	338Kwh、 303Kwh
2	Brand & Model of Motor and Electronic Control 电机、电控品牌&型号	TZ405XSD31-JY-tDriver-MD31、永磁同步电机 TZ405XSD31-JY-tDriver-MD31, permanent magnet synchronous motor	
3	电额定功率&峰值功率 (kw)	100/150	
4	Brand & Model of vehicle Controller 整车控制器品牌&型号	CRRC	
5	Power battery temperature control system 动力电池温控系统	Integrated water cooling for air conditioning 空调集成水冷	
6	Fire extinguishing device in battery box 电池箱内灭火装置	NO 无	
7	Front / rear axle brand & load 前/后桥品牌&载荷	7.5T/13T	
8	Maintenance-free hub &	/	选装

	lubrication 免维护轮毂&润滑		
9	Suspension 悬架	Air suspension, front 2 rear 4 airbags 空气悬架, 前 2 后 4 气囊	
10	Braking system 制动系统	With energy storage spring braking, electric transmission auxiliary braking, double circuit air braking 带储能弹簧制动、电传动辅助制动、双回路气制动	
11	Steering system 转向系统	Integral hydraulic power steering gear 整体式液压力转向器	
12	Tires 轮胎	275/70R22.5	
13	Rim 轮圈	Steel quality 钢质	

### 3. Security protection configuration 安全防护配置

1	EBS/ABS electronic stabilization system EBS/ABS 电子稳定系统	ABS	
2	Pre-collision warning 前碰撞预警	/	选装
3	Lane departure early warning system 车道偏离预警系统	/	选装
4	Tire pressure monitoring and alarm device 胎压监测报警装置	/	选装
5	Emergency safety device for front tire burst 前轮爆胎应急安全装置	/	选装
6	Driver fatigue early warning (behavior monitoring system) 驾驶员疲劳预警(行为监控系统)	/	选装

### 4. Electrical devices and air conditioners 电器件及空调配置

1	Accumulator battery 蓄电池	120Ah*2	
2	Air conditioning Brand & Refrigeration capacity 空调品牌&制冷量	Single cooling air conditioner, cooling capacity 32000 kcal, without PTC heating 单冷空调、制冷量 32000 大卡, 不含 PTC 加热	
3	Warm air in the car & layout position 车内暖风&布置位置	NO 无	选装
4	Defroster 除霜	NO 无	选装
5	Digital clock 电子钟	No 无	
6	Digital clock electronic clock 后视系统	Yes 有	

7	Reversing Image & Radar 倒车影像&雷达	No 无	
8	Audio-visual system 视听系统	MP5	
9	Interior lighting 车内照明	LED light LED 灯	
10	USB layout USB 布置	Yes, 1 next to the driver's seat 有, 司机座椅旁 1 个	
11	On-board WIFI. 车载 WIFI	No 无	
12	Speed limit. 限速	No 无	
13	Wiper 雨刷器	The wiper type, motor power 180W 对刮式、电机功率 180W	
14	Driving recorder 行驶记录仪	Yes 有	
15	Monitoring system 录像监控系统	NO 无	选装

### 5.Body assembly 车身组件配置

1	Body material. 车身材料	钢质电泳车身	
2	Front door/ Middle door 前门/中门	Pneumatic inner swing door 气动内摆门	
3	Step. 踏步	一级	
4	Rearview 倒车镜	Rod type asymmetrical, manual adjustment 杆式不对称、车外手动调节	
5	Passenger seats 乘客座椅	Injection molding, smooth surface 注塑、光面	
6	Driver's seat 驾驶员座椅	Imitation leather, mechanical shock absorption, six-way adjustable 仿皮、机械减震、六向可调	
7	Safety protection of driving area 驾驶区安全防护	Aluminum alloy full surround 铝合金全包围	
8	Air duct material & panoramic 风道材质&全景	Ordinary air duct/non panoramic 普通风道/非全景	
9	Handrail inside the car & lifting ring handle 车内扶手&吊环拉手	Plastic sprayed steel pipe, 32mm diameter, yellow 喷塑钢管、直径 32mm、黄色	
10	Interior air purifier 车内空气净化器	/	选装
11	Roof window. 车顶风窗	Yes 有	
12	Windshield. 风挡	Manual, brush motor ventilation, 2 手动式、有刷电机换气, 2 个	
14	Side window	One-way push-pull, colorless glass 5mm	

	侧窗	单向推拉、无色玻璃 5mm	
15	Floor 地板	Polyvinyl chloride (PVC) composite board, patchwork type, thickness 18mm 聚氯乙烯 (PVC) 复合板、拼接式、厚度 18mm	
16	The pedal on the car for the disabled & the opening mode 残疾人上车踏板 & 开启方式	有/手动	
17	Fire extinguisher 机舱灭火装置	Yes 有	
18	Sun visor 遮阳帘	Front screen sunshade Rocker arm sunshade, Driver's sunshade Guide bar type sunshade 前挡遮阳帘摇臂遮阳帘, 司机遮阳帘导杆式遮阳帘	
19	Curtain 窗帘	Stacked side 叠式侧	
<b>6. Other configuration 其它配置</b>			
1	Paint 漆种	Plain paint 素色漆	
2	Electrophoretic antiseptic 电泳防腐	Yes 有	
3	Line & connector 线路 & 接插件	Tinned Flame retardant Copper Wire & Waterproof Connector 镀锡阻燃铜线 & 防水接插件	
4	Interior material standard 内饰材料标准	Flame retardant and environment friendly materials 阻燃环保型材料	
<b>7. Vehicle Quality Assurance Policy 车辆质保政策</b>			
1	Overseas warranty 海外质保		
2	Domestic warranty 国内质保		
<b>8. After Sales Service Policy 售后服务政策</b>			
1	Station building service at vehicle operation site 车辆运营地建站服务		
2	The manufacturer provides accessories and the customer repairs them themselves 生产工厂提供配件, 客户自行维修		
<b>9. Payment terms 付款条件</b>			
1	Payment Method (付款方式)	TT Payment (TT 电汇)	

2	Advance payment (预付款)	30% down payment would be paid by T/T (30%的首付款将通过电汇方式支付)	
3	Balance payment method (余款支付方式)	the balance would be paid by T/T before delivery (余款在发货前通过 T/T 付清)	

### **Special notification 特别告知:**

1、Above offer is based on our standard execution. Attached bus picture is for reference only, and the technical data may be changed without prior notice.

**以上报价依据我方执行标准，所附图片仅供参考，技术参数可能被改变，恕不另行通知。**

2、This quotation does not include product certification fees. The final configuration and price will be subject to the contract signed by both parties. Our company reserves the right to final explanation.

**本报价不含产品认证费用，最终的配置和价格将依据客我双方签订的合约为准，本公司保留最终解释权。**